


ofita

DISTRICT PROGRAM

work desk

25 mm particle board, covered in laminate and edged with 1.5 mm pvc.

2 mm sheet steel.



40x40x3 mm rectangular tube for crossbeams and a 40 x 40 x 2 mm tube for the main beam coated with epoxy paint.

Recessed intermediate supports.


12 mm laminate or 3+3 safety glass separator.



DIMENSIONS



EASY ELECTRIFICATION



FINISHES

BOARDS AND PANELS



SUPPORTS, STRUCTURES AND SKIRTINGS



LAMINATE SEPARATORS



GLASS SEPARATORS




CERTIFICATES



DISTRICT PROGRAM

meeting table

25 mm particle board, covered in laminate and edged with 1.5 mm pvc.




2 mm sheet steel.

Recessed intermediate supports.

40x40x3 mm rectangular tube for crossbeams and 40 x 40 x 2 mm, for the main beam coated with epoxy paint.

DIMENSIONS



EASY ELECTRIFICATION



FINISHES

BOARDS AND PANELS



SUPPORTS, STRUCTURES AND SKIRTINGS



CERTIFICATES




DISTRICT PROGRAM

counter

Modular design. it allows the combination of different types and sizes of modules to suit the customer's needs.

Work surface. 25 mm particle board covered with laminate and edged with 1.5 mm pvc.



EASY ELECTRIFICATION

Electrification. possibility of cable duct to facilitate clean and tidy cabling.



FINISHES

BOARDS AND PANELS



SUPPORTS, STRUCTURES AND SKIRTINGS



LAMINATE SEPARATORS



CERTIFICATES

