Work table

The work surfaces are made in 25 mm thick particle board covered with Duriter and edged with 2 mm PVC.



There are four types of supports:



CERTIFICATES











DIMENSIONS

L: 1800/A: 800/Al.: 725 L: 1600/A: 800/Al.: 725 L: 1400/A: 800/Al.: 725 L: 1200/A: 800/Al.: 725





SEPARATORS

SIMPLE



4 +4 safety glass with butyral sheet. Ice Color. Translucent Metaglas 6 mm. Mooring clamps in aluminum board.

OBJECT HOLDER



Marco and horizontal aluminum rails extruded.
Mooring point cast aluminum table.
Metaglas separation enclosure, laminate.
Particleboard covered in fabric or vinyl or aluminium extruded.

FINISHES

METAL STRUCTURE



WOOD BOARDS





Rectangular meeting table

The work surfaces are made in 25 mm thick particle board covered with Duriter and edged with 2 mm PVC.



There are four types of supports:



CERTIFICATES











DIMENSIONS

L: 2000/A: 1000/Al.: 725 L: 1800/A: 1000/Al.: 725 L:1600/A: 900/Al.: 725





FEATURES AND EQUIPMENT

Structure can be totally disassembled. Supports equipped with levelling jacks.

ADVANTAGES

Customisation; the wide range of finishes and the possible combinations among them allow each office to be different and be a reflection of the company's corporate image. Storage in small spaces; possible thanks to the fact that the structure can be completely disassembled.

FINISHES

METAL STRUCTURE



WOOD BOARDS







Round meeting table 1 support


The work surfaces are made in 25 mm thick particle board covered with Duriter and edged with 2 mm PVC.




Support made in 100x100x3 square steel tube with 10 mm thick steel base plate.

DIMENSIONS

Ø: 1300 Ø: 1200 Ø: 1100





FEATURES AND EQUIPMENT


Structure can be totally disassembled. Supports equipped with levelling jacks.

FINISHES

METAL STRUCTURE

































Spacers







SPACERS

SIMPLE

- 4+4 safety glass with polyvinyl butyral sheet.
- Colour: ice.
- Translucent 6mm Metaglas.
- Board clamps in injected aluminium.

OBJECT HOLDER

- Frame and horizontal support profiles in extruded aluminium.
- Point for fixing to table in injected aluminium.
- Dividing partition in Metaglas, laminate.
- Particle board coated in fabric, vinyl or extruded aluminium.











Single-block carcass in cold rolled o.8 mm thick steel plate.





Facings in cold rolled 1 mm thick steel, natural wood or 12 mm Duriter.

CERTIFICATES











FEATURES AND EQUIPMENT

- Lock with replaceable cylinder and articulated unbreakable key.
- Guides on precision-milled steel balls greased for life.
- Load levels for storing hanging files or AZ type archive.
- The carcass can act as the support for the work surfaces.
- With hidden levellers.

OPTIONS

- Master key.
- Additional rod spacers.
- Tray and bracket for accessories.
- Upper multi-function shelf.

FINISHES

METAL STRUCTURE

























